



**Table IIA.1.a - Percent of Students Who Were Depressed in Past Year by Gender
Clallam County - HYS and CTC 2004**



	6th Grade			8th Grade			10th Grade			12th Grade		
	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL
Number DEPRESSED	73	97	173	76	149	225	76	115	195	44	78	123
Number in Sample	142	166	308	295	313	608	218	261	479	212	215	427
Percent DEPRESSED	51%	58%	55%	26%	48%	37%	35%	44%	40%	21%	36%	29%

HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)


**Table IIA.1.b - Percent of Students Who Have Belonged to a Gang by Gender
Clallam County - HYS and CTC 2004**



	6th Grade			8th Grade			10th Grade			12th Grade		
	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL
Number EVER IN GANG	16	16	32	16	15	31	14	14	28	6	3	9
Number in Sample	147	169	316	223	244	467	158	189	347	163	159	322
% EVER IN GANG	11%	9%	10%	7%	6%	7%	9%	7%	8%	4%	2%	3%

CTC question: Have you ever belonged to a gang? HYS secondary question: During the past 12 months, have you been a member of a gang? (Question not asked on HYS 6th grade survey).


**Table IIA.1.c - Percent of Students Who Have Carried a Weapon by Gender
Clallam County - HYS and CTC 2004**



	6th Grade			8th Grade			10th Grade			12th Grade		
	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL
# CARRIED WEAPON	18	4	22	33	12	45	29	17	46	22	3	25
Number in Sample	149	170	319	309	321	630	235	270	505	214	215	429
% CARRIED WEAPON	12%	2%	7%	11%	4%	7%	12%	6%	9%	10%	1%	6%

Question not asked on HYS 6th grade survey. HYS secondary question: During the past 30 days, on how many days did you: carry a weapon such as a gun, knife, or club for self-protection or because you thought it might be needed in a fight? CTC question: How many times in the past year have you carried a handgun?


**Table IIA.1.d - Percent of Students Who Have Taken a Weapon to School by Gender
Clallam County - HYS and CTC 2004**



	6th Grade			8th Grade			10th Grade			12th Grade		
	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL
# WEAPON TO SCHOOL	10	5	15	22	12	34	27	14	41	17	5	22
Number in Sample	286	311	597	306	321	627	234	270	504	213	213	426
% WEAPON TO SCHOOL	3%	2%	3%	7%	4%	5%	12%	5%	8%	8%	2%	5%

HYS 6th grade question: During the past 30 days did you carry a weapon, such as a gun, knife or club on school property? HYS secondary question: During the past 30 days on how many days did you carry a weapon such as a gun, knife or club on school property? CTC question: How many times in the past year have you carried a handgun to school?


**Table IIA.2.a - Percent of Students Who Seriously Considered Suicide by Gender
Clallam County - HYS 2004**



	6th Grade			8th Grade			10th Grade			12th Grade		
	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL
# Considered SUICIDE	22	34	56	5	19	24	16	13	29	3	12	15
Number in Sample	131	139	270	80	76	156	68	75	143	52	55	107
% Considered SUICIDE	17%	24%	21%	6%	25%	15%	24%	17%	20%	6%	22%	14%

These questions are asked only on Healthy Youth Survey. HYS 6th grade question: "Have you ever seriously thought about killing yourself?" HYS secondary question: "During the past 12 months, did you ever seriously consider attempting suicide?"


**Table IIA.2.b - Percent of Students Who Attempted Suicide by Gender
Clallam County - HYS 2004**



	6th Grade			8th Grade			10th Grade			12th Grade		
	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL	Male	Female	TOTAL
# Attempted SUICIDE	13	6	19	2	10	12	8	11	19	4	7	11
Number in Sample	141	130	271	80	75	155	68	75	143	52	56	108
% Attempted Suicide	9%	5%	7%	3%	13%	8%	12%	15%	13%	8%	13%	10%

These questions are asked only on Healthy Youth Survey. HYS 6th grade question: "Have you ever tried to kill yourself?" HYS secondary question: "During the past 12 months, how many times did you actually attempt suicide?" (Answer of 1 or more times was counted as Attempted Suicide.)

**Table IIB.1 - Prevalence of 30 Day Use of CIGARETTES by Depression in Past Year
Clallam County - HYS and CTC 2004**




	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use CIGARETTES	8	42	45	37
# of Depressed Students in Sample	168	221	190	122
Percent of Depressed who use CIGARETTES	5%	19%	24%	30%
RELATIVE RISK Depressed:Not Depressed*	.	2.7	1.5	1.5
# Not Depressed who use CIGARETTES	3	27	45	62
# of Students without Depression in Sample	135	379	288	303
Percent of Not Depressed who use CIGARETTES	2%	7%	16%	20%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?

**Table IIB.2 - Prevalence of 30 Day Use of ALCOHOL by Depression in Past Year
Clallam County - HYS and CTC 2004**




	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use ALCOHOL	25	76	85	63
# of Depressed Students in Sample	167	222	188	120
Percent of Depressed who use ALCOHOL	15%	34%	45%	53%
RELATIVE RISK Depressed:Not Depressed*	2.2	2.1	1.7	1.3
# Not Depressed who use ALCOHOL	9	62	77	125
# of Students without Depression in Sample	135	380	287	303
% of Not Depressed who use ALCOHOL	7%	16%	27%	41%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?

**Table IIB.3 - Prevalence of BINGE DRINKING (past 2 wks) by Depression in Past Year
Clallam County - HYS and CTC 2004**




	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use BINGE DRINKING	7	40	54	42
# of Depressed Students in Sample	168	221	189	121
Percent of Depressed who use BINGE DRINKING	4%	18%	29%	35%
RELATIVE RISK Depressed:Not Depressed*	.	1.9	1.6	.
# Not Depressed who use BINGE DRINKING	4	37	50	80
# of Students without Depression in Sample	136	379	288	302
% of Not Depressed who use BINGE DRINKING	3%	10%	17%	26%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)

**Table IIB.4 - Prevalence of 30 Day Use of MARIJUANA by Depression in Past Year
Clallam County - HYS and CTC 2004**



	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use MARIJUANA	6	43	40	30
# of Depressed Students in Sample	161	221	186	120
Percent of Depressed who use MARIJUANA	4%	19%	22%	25%
RELATIVE RISK Depressed:Not Depressed*	.	2.2	.	1.6
# Not Depressed who use MARIJUANA	2	34	49	47
# of Students without Depression in Sample	135	379	286	302
% of Not Depressed who use MARIJUANA	1%	9%	17%	16%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)

**Table IIB.5 - Prevalence of 30 Day Use of STIMULANTS (METH) by Depression in Past Year
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use STIMULANTS (METH)	0	5	6	3
# of Depressed Students in Sample	162	220	185	119
Percent of Depressed who use STIMULANTS (METH)	0%	2%	3%	3%
RELATIVE RISK Depressed:Not Depressed*
# Not Depressed who use STIMULANTS (METH)	1	4	6	3
# of Students without Depression in Sample	132	378	285	296
% of Not Depressed who use STIMULANTS (METH)	1%	1%	2%	1%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)

**Table IIB.6 - Prevalence of 30 Day Use of MDMA (ECSTASY) by Depression in Past Year
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use MDMA (ECSTASY)	1	2	8	2
# of Depressed Students in Sample	159	219	185	120
Percent of Depressed who use MDMA (ECSTASY)	1%	1%	4%	2%
RELATIVE RISK Depressed:Not Depressed*
# Not Depressed who use MDMA (ECSTASY)	1	4	6	7
# of Students without Depression in Sample	129	376	285	300
% of Not Depressed who use MDMA (ECSTASY)	1%	1%	2%	2%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)

**Table IIB.7 - Prevalence of LIFETIME Use of COCAINE by Depression in Past Year
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use COCAINE	7	10	14	9
# of Depressed Students in Sample	161	173	136	91
Percent of Depressed who use COCAINE	4%	6%	10%	10%
RELATIVE RISK Depressed:Not Depressed*	.	2.7	4.3	.
# Not Depressed who use COCAINE	1	6	5	10
# of Students without Depression in Sample	134	284	207	234
% of Not Depressed who use COCAINE	1%	2%	2%	4%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)

**Table IIB.8 - Prevalence of LIFETIME Use of INHALANTS by Depression in Past Year
Clallam County - HYS and CTC 2004**

Results not graphed due to small numbers in sample.

	6th Grade	8th Grade	10th Grade	12th Grade
# Depressed Students who use INHALANTS	35	40	14	10
# of Depressed Students in Sample	162	137	89	67
Percent of Depressed who use INHALANTS	22%	29%	16%	15%
RELATIVE RISK Depressed:Not Depressed*	2.1	2.1	.	.
# Not Depressed who use INHALANTS	14	23	19	12
# of Students without Depression in Sample	133	168	111	151
Percent of Not Depressed who use INHALANTS	11%	14%	17%	8%

*Relative Risk is reported if there is a statistically significant difference between students with and without depression. Relative Risks are read as "Depressed students are ## (RR) times more likely than students who are not depressed to use..."

SURVEY QUESTIONS: HYS secondary question: During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? (Question not asked on HYS 6th grade survey). CTC question: In the past year, have you felt depressed or sad MOST days, even if you felt OK sometimes?)